



# Electronic Price Tag(EPD)

DG04-A1N21  
DG04-A1N26

DG04-A1F21  
DG04-A1F42

DG04-A1P21  
DG04-A1N42

## Key Feature



7.8mm ultra-thin body



8-year lifespan



7-color LED light



Multi-channel management



Bluetooth® 5.0 technology



2.5D protection lens



Multi-color E-ink screen



DIY templates

## Application



Supermarket



Cosmetics Store









Clothing Store



Optical Store

# Specifications

Model	DG04-A1N21	DG04-A1F21	DG04-A1P21	DG04-A1N26	DG04-A1F42	DG04-A1N42
Picture						
Dimensions External	68*35*14 mm	73*36*14 mm	72*39*15 mm	87*43*13 mm	99*94*14 mm	105*94*14 mm
Active Screen Area	49*24 mm	49*24 mm	49*24 mm	60*31 mm	85*64 mm	85*64 mm
Screen Size	2.13 inches	2.13 inches	2.13 inches	2.66 inches	4.2 inches	4.2 inches
Resolution	250*122	250*122	250*122	296 * 152	400 * 300	400 * 300
Pixel Density	130 dpi	130 dpi	130 dpi	125 dpi	120 dpi	120 dpi
Weight	34g	31g	35g	38g	110g	92g
Display Colour	BWR/BWY/BW	BWR/BWY/BW	BW	BWR/BWY/BW	BWR/BWY/BW	BWR/BWY/BW
Model	CR2450 * 2	CR2450 * 2	Specific low temperature battery	CR2450 * 2	CR2450 * 4	CR2450 * 4
Battery Lifetime	5 Years (5 updates/day)	5 Years (5 updates/day)	5 Years (5 updates/day)	5 Years (5 updates/day)	5 Years (5 updates/day)	5 Years (5 updates/day)
Display Technology	EPD	EPD	EPD	EPD	EPD	EPD
Communication Protocol	Bluetooth® Low Energy 5.0	Bluetooth® Low Energy 5.0	Bluetooth® Low Energy 5.0	Bluetooth® Low Energy 5.0	Bluetooth® Low Energy 5.0	Bluetooth® Low Energy 5.0
Viewing Angle	Near 180° Viewing Angle	Near 180° Viewing Angle	Near 180° Viewing Angle	Near 180° Viewing Angle	Near 180° Viewing Angle	Near 180° Viewing Angle
Operating Temperature	0 °C - 50 °C	0 °C - 50 °C	0 °C - 50 °C	0 °C - 50 °C	0 °C - 50 °C	0 °C - 50 °C
Storage Temperature	-20 °C - 60 °C	-20 °C - 60 °C	-20 °C - 60 °C	-20 °C - 60 °C	-20 °C - 60 °C	-20 °C - 60 °C
Water Features (IP Rating)	IPX5	No support	IPX7	No support	IPX5	No support
Fixing Ways	Shelf Rail/ Bracket/Ice Plug etc.	Shelf Rail/ Bracket/Ice Plug etc.	Shelf Rail/ Bracket etc.	Shelf Rail/ Bracket/Ice Plug etc.	Bracket/Ice Plug etc.	Bracket/Ice Plug etc.
Compliance	BQB/FCC/CE/ RoHS	BQB/FCC/CE/ RoHS	BQB/FCC/CE/ RoHS	BQB/FCC/CE/ RoHS	BQB/FCC/CE/ RoHS	BQB/FCC/CE/ RoHS